

Fiber indoor/outdoor cable, Riser-Rated, Gel-Free, Inner LSZH Stranded Loose Tube Rollable Ribbon, 1728 fiber, Aluminum Interlocking Armor, Singlemode G.657.A2, Feet jacket marking, Black jacket color, B2ca flame rating

Product Classification

Regional Availability

Asia | Australia/New Zealand | EMEA | Latin America | North

America

Portfolio CommScope®

Product Type Fiber indoor/outdoor cable

Product Series Z-LZ

General Specifications

Cable Type Ribbon loose tube

Construction TypeArmoredSubunit TypeGel-free

Fibers per Ribbon, quantity 12

Jacket ColorBlackJacket MarkingFeetFibers per Subunit, quantity288

Total Fiber Count 1728

Dimensions

Cable Length 1410 m | 4,625.984 ft


 Buffer Tube/Subunit Diameter
 7.2 mm | 0.283 in

 Diameter Over Armor
 32.4 mm | 1.276 in

 Diameter Over Jacket
 34.4 mm | 1.354 in

Representative Image





Mechanical Specifications

Minimum Bend Radius, loaded516 mm20.315 inMinimum Bend Radius, storage coils516 mm20.315 in

Minimum Bend Radius, unloaded 344 mm | 13.543 in

Tensile Load, long term, maximum800 N | 179.847 lbfTensile Load, short term, maximum2700 N | 606.984 lbf

Compression 22 N/mm | 125.623 lb/in

Compression Test Method FOTP-41 | IEC 60794-1 E3

Flex 25 cycles

Flex Test Method FOTP-104 | IEC 60794-1 E6

Impact 4.4 N-m | 38.943 in lb

Impact Test Method FOTP-25 | IEC 60794-1 E4

Strain See long and short term tensile loads

Strain Test Method FOTP-33 | IEC 60794-1 E1

Twist 10 cycles

Twist Test Method FOTP-85 | IEC 60794-1 E7

Optical Specifications

Fiber Type G.657.A2 | G.657.A2, TeraSPEED®

Environmental Specifications



Installation temperature -20 °C to +60 °C (-4 °F to +140 °F)

Operating Temperature $-40 \,^{\circ}\text{C to} + 70 \,^{\circ}\text{C (-40 °F to} + 158 \,^{\circ}\text{F)}$

Storage Temperature $-40 \,^{\circ}\text{C}$ to $+70 \,^{\circ}\text{C}$ ($-40 \,^{\circ}\text{F}$ to $+158 \,^{\circ}\text{F}$)

Cable Qualification Standards ANSI/ICEA S-87-640 | Telcordia GR-20-CORE Issue 4

EN50575 CPR Cable EuroClass Fire PerformanceB2caEN50575 CPR Cable EuroClass Smoke Ratings1bEN50575 CPR Cable EuroClass Droplets Ratingd2EN50575 CPR Cable EuroClass Acidity Ratinga1

 Environmental Space
 Low Smoke Zero Halogen (LSZH)

 Flame Test Listing
 NEC OFNR-ST1 (UL) and c(UL)

Flame Test Method CSA FT4 | UL 1666

Jacket UV Resistance UV stabilized

Water Penetration 24 h

Water Penetration Test Method FOTP-82 | IEC 60794-1 F5

Environmental Test Specifications

Cable Freeze -2 °C | 28.4 °F

Cable Freeze Test Method FOTP-98 | IEC 60794-1 F15

-40 °C to +85 °C (-40 °F to +185 °F)

Heat Age Test Method IEC 60794-1 F9

Low High Bend $-30 \,^{\circ}\text{C} \text{ to } +60 \,^{\circ}\text{C} \, (-22 \,^{\circ}\text{F to } +140 \,^{\circ}\text{F})$

Low High Bend Test Method FOTP-37 | IEC 60794-1 E11

Temperature Cycle $-40 \,^{\circ}\text{C}$ to $+70 \,^{\circ}\text{C}$ ($-40 \,^{\circ}\text{F}$ to $+158 \,^{\circ}\text{F}$)

Temperature Cycle Test Method FOTP-3 | IEC 60794-1 F1

Packaging and Weights

Cable weight 957 kg/km | 643.074 lb/kft

Regulatory Compliance/Certifications

Agency Classification
ANATEL Compliant





Included Products

CS-8G1-RR-I/O

 Enhanced Low Macrobending, Zero Water Peak, Dispersion-Unshifted Singlemode Rollable Ribbon Fiber (ITU-T G.657.A2, B2)

* Footnotes

Operating Temperature Specification applicable to non-terminated bulk fiber cable

