

# CWVSM-2LLBGOCN1-EX

---

FCM/FL2 VAM Fiber Optic Module, CWDM, 4 channels, mux/demux, SC/APC, starting wavelength 1411 nm

## Product Classification

<b>Regional Availability</b>	North America
<b>Portfolio</b>	CommScope®
<b>Product Type</b>	CWDM module
<b>Product Series</b>	FDF   FL2000

## General Specifications

<b>Device Type</b>	Standard VAM
<b>Functionality</b>	Demultiplexing   Multiplexing
<b>Application</b>	For use with FDF frames   For use with FL2 panels
<b>Circuits, quantity</b>	1
<b>Distribution Type</b>	4-channel CWDM
<b>Interface, front</b>	SC/APC
<b>Interface, Input</b>	SC/APC
<b>Interface, Output</b>	SC/APC
<b>Multiplexers, quantity</b>	1

## Optical Specifications

<b>Starting Wavelength</b>	1411 nm
----------------------------	---------

## Packaging and Weights

<b>Packaging quantity</b>	1
---------------------------	---

## Regulatory Compliance/Certifications

<b>Agency</b>	<b>Classification</b>
CHINA-ROHS	Below maximum concentration value
REACH-SVHC	Compliant as per SVHC revision on <a href="https://www.commscope.com/ProductCompliance">www.commscope.com/ProductCompliance</a>
ROHS	Compliant
UK-ROHS	Compliant

