

**DECLARATION OF PERFORMANCE**  
**No. Internal/External Dry Loose Tube – System Cable**  
**(Fiber count range 4-12, all fiber types and jacket colors)**

1. Unique identification code of the product type: **Int/Ext DLT – system**
2. Type, batch or serial number: **Found on packaging label**
3. Intended use(s): *Supply of communications in buildings and other civil engineering works, communication cable with the objective of limiting the generation and spread of fire and smoke.*
4. Manufacturer Name: **Commscope Connectivity UK Ltd  
Unit 1 Kimmel Park Ind Estate  
Bodelwyddan  
Denbighshire  
LL18 5TZ**
5. Authorized representative: *Not Applicable*
6. System/s of AVCP: **System 3**
7. Harmonized standard: **EN50575:2014+A1:2016**

Notified body(s): **No. 2661 – British Approvals Service for Cables (BASEC)**

*Notified body No. 2661 performed the determination of the product type, the initial inspection of the manufacturing facility and of FPC, the continuous surveillance, assessment and evaluation of the FPC and the audit testing of samples taken before placing the product on the market and issued the certificate of constancy of performance.*

8. Declared performance(s):

Essential Characteristics	Performance	Harmonized Technical Specification
Reaction to Fire	<b>Dca-s2,d2,a1</b>	EN50575:2014+A1:2016
Dangerous Substances	<b>None</b>	

9. Appropriate Technical Documentation and/or Specific Technical Documentation:

**Report Number: K2CPRT768-3**  
**Issue Date: 28/04/2017**

The performance of the product identified above is in conformity with this set of declared performance/s. This declaration of performance is issued, in accordance with Regulation (EU) No 305/2011 under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by:


**Name:** Michael Livesey

**Function:** Product Engineer

**At (place):** CommScope, North Wales, UK

**on (date of issue):** 26/06/2017

**Signature:** .....



.....

